

# snowpack

B E C O M E I N V I S I B L E

**Séminaire: Quelles technologies pour assurer la confiance numérique**

*VIPN: Challenges and use cases for the Internet's first invisibility network without third party*



# Baptiste Polvé

**TSP 2018, ESSI 2018**

HEC Challenge + 2021

*Participation to the creation of KerberINT @TSP2016*  
*Part-time teacher on Network Security (35h) @Ecole Hexagone since 2022*

*Project Manager & Research Engineer @CEA List 2018-2021 (NIDS)*

***Co-founder & CTO @Snowpack since 2021***



## #Innovative #Deeptech #Cybersecurity #European #Start-up



**CEA\* spin-off**  
created in Q2 2021

Headquarters in Paris-Saclay  
Offices in Paris & Vienna

Technology based on seven years of R&D  
and protected by 4 international patents

+2 M€ Seed  
financing in 2022



concours d'innovation  
**i-Lab**

Ecosystem

#cybersecurity #innovation




\* Commissariat à l'Énergie Atomique et aux énergies alternatives (French Atomic Energy Commission): French largest applied research center


**GRAND PRIX**

PRIX DE LA  
START-UP  
IN CYBER  
FORUM

# snowpack | If hackers can't see you, they can't attack you!



# snowpack | If hackers can't see you, they can't attack you!




## Trust-based systems & communications

Vulnerabilities can be exploited from :

- Metadata on data-in-transit
- Listening port(s) on servers
- Trusted third parties

# snowpack | If hackers can't see you, they can't attack you!




## Trust-based systems & communications

Vulnerabilities can be exploited from :

- Metadata on data-in-transit
- Listening port(s) on servers
- Trusted third parties

snowpack



## Invisible systems & communications

No vulnerability exploitation from Internet :

- No Metadata
- No listening port
- No trusted third party

## Our Virtual & Invisible Private Network (VIPN) hides & protects your activities

*Plug into our solution & become invisible*



### Invisible Access

*Access Internet without any trace*

*Browse Clear, Deep & Darkweb truly anonymously & without any trusted third party*



### Invisible Services

*Protect your web services*

*Make your sensitive web services exposed on the internet invisible from hackers*



### Invisible Infra


*Hide your company attack surface*

*Cloak your IT endpoints & data-in-transit from hackers and prevent vulnerabilities & traces exploitation*

← Also available through “Secured by Snowpack” API for integration in your own softwares & systems →

# snowpack | How does it work ?

4 patented key principles to guarantee invisibility, anonymity & independence



# snowpack | How does it work ?

4 patented key principles to guarantee invisibility, anonymity & independence

## 1. Distributed network overlay (SNO)




4 patents



2017 2019

2021 2023



# snowpack | How does it work ?

4 patents



2017 2019



2021 2023

4 patented key principles to guarantee invisibility, anonymity & independence

## 1. Distributed network overlay (SNO)



## 2. Packets fragmentation into anonymized noise (snowflakes)



# snowpack | How does it work ?

4 patents



2017 2019


2021 2023

4 patented key principles to guarantee invisibility, anonymity & independence



## 1. Distributed network overlay (SNO)



## 2. Packets fragmentation into anonymized noise (snowflakes)



## 3. Split of information into routes, nodes autodiscovery mechanism



# snowpack | How does it work ?

4 patents




2017 2019


2021 2023

4 patented key principles to guarantee invisibility, anonymity & independence


## 1. Distributed network overlay (SNO)




## 2. Packets fragmentation into anonymized noise (snowflakes)



## 3. Split of information into routes, nodes autodiscovery mechanism



## 4. Distributed exit nodes



No SNO element can have full knowledge of {Sender, Receiver, Content}



# snowpack | In summary ...

| *VIPN = SNO (Snowpack Network Overlay) + Connectors*

4 patents



2017 2019  
2021 2023




| VIPN = SNO (Snowpack Network Overlay) + Connectors

4 patents



2017 2019  
2021 2023



## Strengths of our solutions

No MITM attack possible



No trusted third party




Infrastructure & Services cloaking



High quality of service & resilience



Verifiable quality of security & independence



# Browse anonymously


Solutions and interest of VIPN



# snowpack | Why people need anonymity ?

## ❑ Personal Privacy protection

- no targeted advertising, bypassing geo-blocking, ...
- dating, beliefs, sexual orientation, ...
- health (critical condition or disease, addiction...)




# snowpack | Why people need anonymity ?

## ❑ Personal Privacy protection

- no targeted advertising, bypassing geo-blocking, ...
- dating, beliefs, sexual orientation, ...
- health (critical condition or disease, addiction...)

## ❑ Business Privacy protection

- clients & suppliers (price, negotiation power, lawyer, ...)
- sources (journalists), ...



# snowpack | Why people need anonymity ?

## ❑ Personal Privacy protection


- no targeted advertising, bypassing geo-blocking, ...
- dating, beliefs, sexual orientation, ...
- health (critical condition or disease, addiction...)

## ❑ Business Privacy protection

- clients & suppliers (price, negotiation power, lawyer, ...)
- sources (journalists), ...

## ❑ Human rights

- Freedom of expression vs. censorship/dictatorship
- Journalists, Whistleblowers,...



# snowpack | Why people need anonymity ?

## ❑ Personal Privacy protection

- no targeted advertising, bypassing geo-blocking, ...
- dating, beliefs, sexual orientation, ...
- health (critical condition or disease, addiction...)

## ❑ Business Privacy protection


- clients & suppliers (price, negotiation power, lawyer, ...)
- sources (journalists), ...

## ❑ Human rights

- Freedom of expression vs. censorship/dictatorship
- Journalists, Whistleblowers,...


## ❑ Other needs

- Expression
- Communication
- Access to information
- Geolocalization




# snowpack | A bit of legal implications

- Privacy & anonymity are fundamental rights
  - Art. 9 Code Civil
  - Art. 8 European Convention on human rights
  - Sapin 2: protection of whistleblowers (with some exceptions)




# snowpack | A bit of legal implications

- ❑ Privacy & anonymity are fundamental rights
  - Art. 9 Code Civil
  - Art. 8 European Convention on human rights
  - Sapin 2: protection of whistleblowers (with some exceptions)
  
- ❑ **Drawbacks:** espionage, radicalism, terrorism, criminal activities...




# snowpack | A bit of legal implications


- ❑ Privacy & anonymity are fundamental rights
  - Art. 9 Code Civil
  - Art. 8 European Convention on human rights
  - Sapin 2: protection of whistleblowers (with some exceptions)
  
- ❑ **Drawbacks:** espionage, radicalism, terrorism, criminal activities...
  
- ❑ Cannot be really “no log” for individuals ! Hopefully ?!
- ❑ Legal Interception → **Justice request**
  - 15 days in Europe
  - 1 year in France



# snowpack | A bit of legal implications

- ❑ Privacy & anonymity are fundamental rights
  - Art. 9 Code Civil
  - Art. 8 European Convention on human rights
  - Sapin 2: protection of whistleblowers (with some exceptions)
  
- ❑ **Drawbacks:** espionage, radicalism, terrorism, criminal activities...
  
- ❑ Cannot be really “no log” for individuals ! Hopefully ?!
- ❑ Legal Interception → **Justice request**
  - 15 days in Europe
  - 1 year in France
  
- ❑ Alternatives generally used: mix of solutions under several legislation or geography to make really complex law application






# snowpack | From classical networking to Anonymity Networks


## Problem




User




Service




# snowpack | From classical networking to Anonymity Networks Problem




# snowpack | From classical networking to Anonymity Networks Problem



# snowpack | From classical networking to Anonymity Networks Problem




# snowpack | From classical networking to Anonymity Networks Problem



# snowpack | From classical networking to Anonymity Networks


## Problem



How to make User, Service and their data Unlinkable and Invisible ?

# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities



# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities



User




Service



# snowpack | From classical networking to Anonymity Networks


## VPN solution & vulnerabilities



# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




Src: @Client  
Dst: @Service



# snowpack | From classical networking to Anonymity Networks


## VPN solution & vulnerabilities

Src: @Client  
Dst: @VPN




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities





# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities





# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities





# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities





# snowpack | From classical networking to Anonymity Networks

## VPN solution & vulnerabilities




# From classical networking to Anonymity Networks

## VPN solution & vulnerabilities





# From classical networking to Anonymity Networks

## VPN solution & vulnerabilities



# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities



# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



User




Service




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities

Src: @Client  
Dst: @Service




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities

Src:  
Dst: @Service




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities

Src:  
Dst: @Service



 : Packet emitted



# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities

Src:  
Dst: @Service



User



Node 1



Node 2




Node 3



Service

Internet


 : Packet emitted



# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities

Src: @Client  
Dst: @Node 1



User




Internet



Service




: Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted




# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet emitted



# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet emitted


# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities



# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities




 : Packet sent back

# From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet sent back




# From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet sent back



# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities




 : Packet sent back

# From classical networking to Anonymity Networks

## Onion routing vulnerabilities




 : Packet sent back



# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back

# snowpack | From classical networking to Anonymity Networks


## Onion routing vulnerabilities



 : Packet sent back


# snowpack | From classical networking to Anonymity Networks

## Onion routing vulnerabilities





 : Packet sent back

# snowpack | How our VIPN works without trusted-third-party ?




# snowpack | How our VIPN works without trusted-third-party ?




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route





# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?

## Building the route




# snowpack | How our VIPN works without trusted-third-party ?




# snowpack | How our VIPN works without trusted-third-party ?




User\*




- Internet service
- Device
- IS gateway
- IS interface



## Communicating through SNO




## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?

## Communicating through SNO




# snowpack | How our VIPN works without trusted-third-party ?


## Communicating through SNO




# snowpack | From classical networking to Anonymity Networks Overview





# snowpack | Also feasible to combine different solutions




# snowpack | Also feasible to combine different solutions




# snowpack | Also feasible to combine different solutions




# snowpack | Also feasible to combine different solutions



# snowpack | Also feasible to combine different solutions




# snowpack | Also feasible to combine different solutions



# Secure end-to-end communications

Solutions and interests of VIPN





## VPN architecture

Full control but

- Designed for centralized architectures
- Access rights management mayhem
  - Gateway is vulnerable

## SASE architecture


Designed for decentralized architectures with easy access right management & resilience but



- Requires to trust the Service provider

## VIPN architecture



Full control and

- Easy access rights management
- No trusted third party
- Resilient
- Invisibility!









# snowpack | Tunnel mode





# snowpack | Tunnel mode





# snowpack | Tunnel mode





# snowpack | Tunnel mode





# snowpack | Tunnel mode





# snowpack | Tunnel mode




# snowpack | Tunnel mode




# snowpack | Tunnel mode





# snowpack | Tunnel mode




Snowflakes (  ) move through SNO




# snowpack | Tunnel mode




# snowpack | Tunnel mode




Snowflakes (  ) move through SNO




# snowpack | Tunnel mode




Snowflakes (  ) move through SNO




# snowpack | Tunnel mode




Snowflakes (  ) move through SNO




# snowpack | Tunnel mode





Snowflakes (  ) move through SNO







# snowpack | Tunnel mode: Initial rdv points exchange implementation





# snowpack | Tunnel mode: Initial rdv points exchange implementation





# snowpack | Tunnel mode: Initial rdv points exchange implementation

Alice exchanges rdvs points through Privacy mode




# snowpack | Tunnel mode: Initial rdv points exchange implementation

Alice exchanges rdvs points through Privacy mode





# snowpack | Tunnel mode: Initial rdv points exchange implementation


Alice exchanges rdvs points through Privacy mode





# snowpack | Tunnel mode: Upcoming rdv points exchange implementation





# snowpack | Tunnel mode: Upcoming rdv points exchange implementation




# snowpack | Tunnel mode: Upcoming rdv points exchange implementation




# snowpack | Tunnel mode: Upcoming rdv points exchange implementation




# snowpack | Tunnel mode: Upcoming rdv points exchange implementation




Step 2: Bob retrieves RdV points, chooses its route, generates 4 snowflakes (2 per path), and passes 2 to Alice via Visible Bob



# snowpack | Tunnel mode: Upcoming rdv points exchange implementation




# snowpack | Tunnel mode: Upcoming rdv points exchange implementation




# snowpack | Tunnel mode: Upcoming rdv points exchange implementation

Step 3.2: Alice creates its route part





# snowpack | Tunnel mode: Upcoming rdv points exchange implementation



Step 3.2: Alice creates its route part



# snowpack | Tunnel mode: Upcoming rdv points exchange implementation





# snowpack | Tunnel mode: Upcoming rdv points exchange implementation





# snowpack | Tunnel mode: Upcoming rdv points exchange implementation

Step 3.3: Alice-Bob routes finalized thanks to autodiscovery snowflakes



# snowpack | Tunnel mode: Upcoming rdv points exchange implementation



# Technical Challenges & usecases



# snowpack | VIPN: deeptech but very user friendly ...

snowpack Plan: DarkSnow Olivier Morel

**Invisible Access**

Access Services

Status: ● Connected


Your public IP is: 132.145.30.94  
Country: **United Kingdom**

Select target country

Disconnect

Auto retry on connection lost (preserve connectivity)

Kill switch mode (preserve anonymity)



(Also available on Linux and MAC OS)

snowpack Plan: DarkSnow Olivier Morel

**Invisible Services**

Access Services

Status: ● Disconnected

Please select a service:  
(Please select one)

Connect

[Access custom service](#)

18:01 VPN

Invisible Access

snowpack

Become Invisible

Connected

Your public IP address is  
151.115.47.92 (Poland)

[Advanced settings](#)

iOS  
(Also available on Android)

18:01

Invisible Services

snowpack

Become Invisible

Status: ● Not connected

Select an Invisible Service

Please select a service

Connect

[Access custom services](#)

# snowpack | ...and easy to install and manage!

The image displays the snowpack user interface. On the left is a navigation sidebar with the snowpack logo at the top. Below the logo are menu items: Overview, Profile, Plan and payments, Invisible Services, My services, Services management, and Users and access. Three blue arrows point from the 'My services', 'Services management', and 'Users and access' menu items to their respective detailed views on the right.

### My Services

Status	Tenant ↓	Service	Public IP	Local URL
Active	DEMO-Raph	TEST DEMO LIVE	14.20.42.14	https://14.20.42.14:443
Active	Snowpack Company Demo	Invisible Demo	14.20.42.14	https://14.20.42.14:443

### Services management

Create + Number of services: 2 / 5

Status	Nickname ↓	Public IP	Local URL	Number of assigned users	Actions
Active	My-Invisible-Service-01	14.20.42.14	https://14.20.42.14:443	3 / 100	Edit More
Active	My-Invisible-Service-02	14.20.42.14	https://14.20.42.14:443	2 / 100	Edit More


### Users and access

Invite + Number of users: 4 / 10


Name ↓	Email	Assigned services ▼	Actions
Baptiste-test	baptiste.p...@snowpack.eu	• My-Invisible-Service-01	Edit More
Fred (Not yet accepted)	frederic...@snowpack.eu	• My-Invisible-Service-02	Edit More
Olivier-DarkSnow	olivier...@snowpack.eu	• My-Invisible-Service-01 • My-Invisible-Service-02	Edit More
Raphael-test	raphael...@snowpack.eu	• My-Invisible-Service-01	Edit More

# snowpack | Why it is not only that ?

- ❑ Specific user requirements
  - Complex expansion at local levels
- ❑ Captchas & proxies detector (netflix, youtube, crowdsec...)
  - IP quality & reputation
- ❑ Anonymity networks' users are not all « clean »
  - IP reputation
- ❑ State-grade actors & censorship
  - Embed protocol censorship (e.g. TLS1.3)
  - Specific protocol detection
  - Nodes repository
- ❑ Manage multi-operators infrastructure
  - Verify that the code running is the proper one



# snowpack Some of our Usecases




# snowpack Some of our Usecases

## Business Intelligence

Snowpack protects you when you analyse your competitors or when reviewing your market even on extrateritorial website,

It is impossible to trace you back thanks to our robust threat model.



# snowpack Some of our Usecases

## Business Intelligence

Snowpack protects you when you analyse your competitors or when reviewing your market even on extraterritorial website,


It is impossible to trace you back thanks to our robust threat model.



## Partners collaborations

While sharing data with partners, if it implies any interactions with their systems, hide your identity to eventual attacker monitoring your network.

Avoid identification of your servers or collaborations.



# snowpack Some of our Usecases

## Business Intelligence

Snowpack protects you when you analyse your competitors or when reviewing your market even on extraterritorial website,

It is impossible to trace you back thanks to our robust threat model.



## Partners collaborations

While sharing data with partners, if it implies any interactions with their systems, hide your identity to eventual attacker monitoring your network.


Avoid identification of your servers or collaborations.



## Secure your remote workers access

Cloak your Information System to protect your collaborators and your IS.

Remote workers don't become targets.



# snowpack Some of our Usecases

## Business Intelligence

Snowpack protects you when you analyse your competitors or when reviewing your market even on extraterritorial website,

It is impossible to trace you back thanks to our robust threat model.



## Partners collaborations

While sharing data with partners, if it implies any interactions with their systems, hide your identity to eventual attacker monitoring your network.

Avoid identification of your servers or collaborations.



## Secure your remote workers access

Cloak your Information System to protect your collaborators and your IS.


Remote workers don't become targets.



## Expose services to partners that don't want to be disclosed as client

Transform your sensitive services for valuable clients into Invisible Services to avoid their identity disclosed while accessing your service.

Offer SaaS with low risk.



# snowpack | Contexts of usage : Invisible Access





## Invisible Access

*Hide users and their Internet operations*



*(Alice talks to the world)*



- Protect sensitive **users** : *corporate VIPs, soldiers in operation, remote access, lawyers, journalists, etc.*
- Help professionals with a strong **invisibility** needs for their operations: *Red Team, Cyber Threat Intelligence, Investigation on clear/deep/dark, Law enforcement agencies, etc.*

**Users protection**  
**Data protection**  
**Communications protection**  
**Activities protection**  
**Secrets protection**

# snowpack | Contexts of usage : Invisible Services & Infra



## Invisible Services & Infra

*Hide the attack surface of your information system*

- Make **sensitive business services** exposed on the Internet invisible to hackers: *websites, APIs, web services, etc.*
- **Protect exposed infrastructure components** (*servers, end-points, VPN, etc.*) from Internet attacks (*e.g. scan, DDoS, Oday*).



## Regulatory compliance

(NIS2/DORA, DSP2 ...)

## Cyber Insurance

(Prevention, Remediation)

## Supply Chain Security

## Obsolescence

(IT/OT, ...)

# Don't trust us, test us !

Baptiste POLVÉ – Co-founder & CTO  
[baptiste.polve@snowpack.eu](mailto:baptiste.polve@snowpack.eu)

[WWW.SNOWPACK.EU](http://WWW.SNOWPACK.EU)

Available on



Linux Windows Android Coming soon iOS SDK API

Visit our website & try it!